

INDEX MAPS.

T. 12 N. R. 8 E. 2nd Mer.

	196		196		195		195		195		195	
198	6	216	5	213	4	209	3	205	2	202	1	194
	216		216		212		209		205		201	
198	7	216	8	212	9	208	10	205	11	201	12	194
	216		216		212		208		204		201	
197	18	216	17	211	16	208	15	204	14	200	13	194
	216		216		211		207		204		200	
197	19	215	20	211	21	207	22	203	23	200	24	193
	215		214		210		207		203		199	
197	30	214	29	210	28	206	27	203	26	199	25	193
	214		213		210		206		202		199	
196	31	213	32	209	33	206	34	202	35	198	36	193
	192		192		192		191		191		191	

T. 13 N. R. 8 E 2nd Mer.

	224		224		224		225		225		225	
	227		227		226		226					
229	6	249	5	244	4	240	3	237	2	232	1	224
	249		249		244		240		236		232	
229	7	248	8	243	9	240	10	236	11	231	12	223
	248		248		243		239		236		231	
228	18	247	17	243	16	239	15	235	14	231	13	223
	247		247		242		238		235		230	
228	19	246	20	242	21	238	22	235	23	232	24	223
	246		246		242		238		234		232	
227	30	245	29	241	28	238	27	234	26	230	25	222
	245		245		241		237		234		230	
227	31	244	32	241	33	237	34	233	35	229	36	222
	222		222		221		221		221		221	

[F] The figures on the lines refer to the page.

191
Township N. 12 North, Range N. 8 East 2nd Mer. Indiana
ch. lth

South Boundary var. 7th 00' E.

West On S. boundary of Sec. 36. 712 N. 128 E.

2.00 a Branch 6 lth. wide Course S. W.

9.80 a Beech 24 mi. dist.

14.40 a Branch 6 lth. wide Course S. E.

28.90 a do. 20 " " " S. E.

40.00 Set of Sec. post, from which

a Beech 5 mi. dist. by N 9 E 8 lth. dist. of

a Beech 7 " " " S 9 W 32 " "

53.11 a do. 12 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Beech 9 mi. dist. by S 2 E 8 lth. dist. of

a Sugar 9 " " " S 2 E 12 " "

Level ground, timber, Beech, Ash, Walnut
Poplar &c. under ⁱⁿ Spruce, rich soil

West On S. boundary of Sec. 35

10.16 a Beech 16 mi. dist.

40.00 Set of Sec. post, from which

a Blue Ash 20 mi. dist. by S 8 W 11 lth. dist. of

a Beech 10 " " " S 8 E 30 " "

48.42 a Sugar 12 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 20 mi. dist. by N 69 E 12 lth. dist. of

a do. 7 " " " S 6 W 33 " "

Gently rolling, timber Beech, Ash, Sugar, Elm
&c. under ⁱⁿ Spruce, hawthorn, dogwood &c. rich soil

West On S. boundary of Sec. 34

5.45 an Ash 15 mi. dist.

6.15 a Creek 50 lth. wide Course S. W.

35.10 a Branch 4 " " " S. W.

40.00 Set of Sec. post, from which

a Beech 7 mi. dist. by S 38 W 18 lth. dist. of

a do. 17 " " " S 50 E 34 " "

44.80 a Poplar 36 " "

192 T. N. R. & E. 2^d Mer. Indiana

ch. 1st

80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 14 in. dia. - bray S 50° W 16 lbr. dist. of
a do. 12 " " " N 32° E 28 " "
Over rolling land

Nest On S. boundary of Sec. 33

31.10 a Beech 14 in. dia.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. - bray S 57° W 10 lbr. dist. of
a do. 12 " " " N 65° E 18 " "

48.05 a P. Oak 30 " "

54.10 a Poplar 36 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
an Ash 13 in. dia. - bray S 72° E 12 lbr. dist. of
a Beech 12 " " " N 80° W 14 " "
Over level land, timber, Beech, Oak, Poplar
etc. underlying? Spice, Hogn? greenbrier, etc. rich soil

Nest On S. boundary of Sec. 32

12.70 a P. Oak 40 in. dia.

33.12 a Branch 8 lbr. wide Cr. S. W.

40.00 Set of Sec. post, from which
a Beech 9 in. dia. - bray N 86° W 18 lbr. dist. of
a do. 20 " " " N 86° E 33 " "

49.62 an Ash 15 " "

57.50 a Creek 50 lbr. wide Cr. S. W.

80.00 Set post Cor. to Sec. 31 of 32, from which
a Beech 18 in. dia. - bray N 87° W 14 lbr. dist. of
a do 8 " " " S 67° E 2 " "
Gently rolling rolling, timber Beech, Oak,
Poplar etc. underlying? Spice etc. Soil good

Nest On S. boundary of Sec. 31

16.48 an Ash 15 in. dia.

17.50 a Branch 5 lbr. wide Corner S. W.

30.10 a Creek 150 lbr. wide S. W. (good mill seat on S. E. of 31)

Cont.

193

T12 N R8 E. 2nd Mer. Indiana

ch. P. 1st m.

40.00 Set q. Sec. post, from which
a Sugar 18 in. dia. beam 160 E 18 km. dist. of
a Beech 20 " " " N 33 W 23 " "

51.97 a do. 12 " "

74.82 Intersected Corner of Township 11 & 12 North
Range 758 East. Overlaid land timber
Beech, Poplar, Ash &c. underg. Spruce, Soil good
June 22nd 1819.

East Boundary. var. 7° 15' E.
North On E. boundary of Sec. 36, T12 N. R8 E

40.00 Set q. Sec. post, from which
a Beech 14 in. dia. beam South 37 km. dist. of
a do. 7 " " " N 66 W 22 " "

49.33 a do. 22 " "

80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 12 in. dia. beam N 57 W 13 km. dist. of
a do. 10 " " " N 78 E 19 " "
Over good farming land, Beech, Ash &c.
underg. Spruce

North On E. boundary of Sec. 25

25.37 an Elm 24 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. beam N 37 E 21 km. dist. of
a Hackberry 24 " " " N 12 E 46 " "

62.87 an Ash 18 " "

80.00 Set post Cor. to Sec. 24 & 25, from which
a Beech 12 in. dia. beam S 22 E 31 km. dist. of
a do. 12 " " " N 62 W 14 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 24

25.79 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which
a Beech 27 in. dia. beam S 52 E 17 km. dist. of

179

194

Twp. N. R. 8 E. 2, Mer. Indiana

ch. P. 1/2

a Beech 7 mi. dist. bearing N 30° W 33 1/2 mi. dist. of
 55.36 a Gum 15 " " "
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 13 mi. dist. bearing N 27° E 5 1/2 mi. dist. of
 a Do. 14 " " " N 36° W 45 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13

40.00 Set q. Sec. post, from which
 a Sugar 6 mi. dist. bearing N 24° E 16 1/2 mi. dist. of
 a Beech 16 " " " N 33° W 21 " "

53.09 an Elm 19 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
 a Beech 10 mi. dist. bearing N 22° E 21 1/2 mi. dist. of
 a Do. 10 " " " N 56° W 9 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12

24.93 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which
 a Beech 24 mi. dist. bearing N 80° E 9 1/2 mi. dist. of
 a Do. 7 " " " N 80° W 20 " "

59.50 a Hickory 27 " "

80.00 Set post Cor. to Sec. 1 of 12, from which
 a Beech 12 mi. dist. bearing N 5° E 44 1/2 mi. dist. of
 a Do. 12 " " " N 3° W 31 " "
 Over level wet land, timber Beech, Hickory
 &c. under gr. Spruce, Soil good

North On E. boundary of Sec. 1

14.18 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which
 a Beech 6 mi. dist. bearing N 41° W 7 1/2 mi. dist. of
 a Do. 10 " " " N 7° E 22 " "

42.50 a Poplar 48 " "

70.12 Set post Cor. to Township, N. 12 of 13 North

195

T12N R8E. 2^d Mer. Indiana
ch. 1st Range 8 & 9 East from which
a Beech 14 in. dia. beam 177 W 10 in. dist. of
a Do. 8 " " " N 65 E 13 " "
Sand timber &c. same as on the last mile

North Boundary. var. 7.45' E.
West On S. boundary of Sec. 36, T13N. R8E.
40.00 Set q. Sec. post, from which
a Beech 10 in. dia. beam N 49 W 25 in. dist. of
a Do. 13 " " " N 17 E 9 " "
80.00 Set post Cor. to Sec. 35 & 36, T13N. R8E, from which
a Hickory 12 in. dia. beam N 57 W 41 in. dist. of
an Oak 48 " " " N 41 E 9 " "
Over level land, timber Oak, Beech, Elm
&c. underg^d. Spruce

West On S. boundary of Sec. 35, T13N. R8E
40.00 Set q. Sec. post, from which
a Beech 14 in. dia. beam N 67 E 23 in. dist. of
a Do. 7 " " " N 65 W 36 " "
80.00 Set post Cor. to Sec. 34 & 35, T13N. R8E, from which
an Elm 14 in. dia. beam S 9 W 22 in. dist. of
a Beech 8 " " " N 25 W 8 " "
Sand timber &c. same as on the last mile

West On S. boundary of Sec. 34, T13N. R8E
40.00 Set q. Sec. post, from which
a Poplar 30 in. dia. beam N 54 W 7 in. dist.
a Beech 14 " " " N 73 E 19 " "
80.00 Set post Cor. to Sec. 33 & 34, T13N. R8E, from which
a Beech 10 in. dia. beam N 28 E 32 in. dist. of
a Do. 8 " " " S 53 E 20 " "
Level land, timber Beech, Ash, Sugar &c
underg^d. Spruce, Soil good

West On S. boundary of Sec. 33, T13N. R8E.
40.00 Set q. Sec. post, from which

T12N R8E, 2^d Mer. Indiana

ch. P. 1/2 mi.

- an Ash 7 in. dia. - bray N 81 E 11 lbr. dist. of
 a Beech 8 " " " S 52 W 10 " "
 65.00 a Creek 50 lbr. wide Course S. W
 80.00 Set post Cor. to Sec. 32 & 33, from which
 a Walnut 10 in. dia. - bray S 85 W 20 lbr. dist. of
 an Elm 14 " " " N 43 E 22 " "
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T13N, R8E

- 40.00 Set q. Sec. post, from which
 a Spruce 8 in. dia. - bray S 82 W 6 lbr. dist. of
 a Do. 12 " " " N 67 E 13 " "
 80.00 Set post Cor. to Sec. 31 & 32, T13N, R8E, from which
 a Beech 10 in. dia. - bray N 35 W 20 lbr. dist. of
 a Do. 7 " " " S 18 E 3 " "
 Open good farming land, timber Beech,
 Ash &c. underg. Spruce &c.

West On S. boundary of Sec. 31, T13N, R8E.

- 40.00 Set q. Sec. post, from which
 an Ash 12 in. dia. - bray S 80 W 14 lbr. dist. of
 a Beech 10 " " " N 72 E 13 " "
 65.25 Intersected at the Town Corner established
 on the N & S. line. (Note the above line
 appears to be a survey or correction. S. M)

West Boundary var. 7.15' E

North On E. boundary of Sec. 36, T12N, R7E.

- 5.27 a S. Burn 30 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 9 in. dia. - bray N 41 W 21 lbr. dist. of
 an Ash 8 " " " S 73 E 17 " "
 49.20 a Hickory 20 " "
 80.00 Set post Cor. to Sec. 25 & 36, T12N, R7E, from which
 a Beech 12 in. dia. - bray S 21 W 30 lbr. dist. of
 an Ash 4 " " " S 72 E 6 " "

197
T12 N R8 E, 2^d Mer. Indiana
ch. 2. 1/2 m

Over level land, timber Beech, Ash, Hickory
Poplar, Oak &c. underg^d. Spruce, ash &c. rich soil

North On E. boundary of Sec. 25, T12 N, R7 E.
6.60 an Elm 18 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 36 in. dia. brang N77 W 25 br. dist. of
a Beech 9 " " " N73 E 20 " "

69.88 a Sugar 15 " "

80.00 Set post Cor. to Sec. 24 & 25, T12 N, R7 E, from which
a Sugar 21 in. dia. brang S30 E 16 br. dist. of
a Do. 14 " " " N17 W 24 " "

Level land, timber Beech, Ash, Poplar, Sugar,
Elm &c. underg^d. Spruce &c. rich soil

North On E. boundary of Sec. 24, T12 N, R7 E.
23.35 a Beech 15 in. dia.

40.00 Set of Sec. post, from which
a Sugar 30 in. dia. brang S27 W 8 br. dist. of
a Beech 10 " " " N70 E 16 " "

52.30 an Elm 27 " "

80.00 Set post, Cor. to Sec. 13 & 24, T12 N, R7 E, from which
a Beech 6 in. dia. brang S55 E 6 br. dist. of
a Maple 10 " " " S37 W 16 " "

Over very level land, timber, Beech, Ash, Elm,
Hickory, Sugar &c. underg^d. Spruce, ash &c.
Rich soil.

North On E. boundary of Sec. 13, T12 N, R7 E
16.45 an Elm 30 in. dia.

40.00 Set of Sec. post, from which
a Hickory 10 in. dia. brang S79 W 16 br. dist. of
a Beech 8 " " " N28 E 16 " "

52.05 a Poplar 48 " "

57.82 a W. Oak 36 " "

80.00 Set post Cor. to Sec. 12 & 13, T12 N, R7 E, from which

198

T12 N R8 E. 2^d Mer. Indianach² 1/2

a Maple 8 in. dia. bray S10 E 15 lns. dist. of
 a Beech 7 " " " N24 W 15 " "
 Level land rather wet, timber, Beech, Elm,
 Hickory, Oak &c. underg^d. Spruce &c. Soil rich

North On E. boundary of Sec. 12, T12 N. R7 E.

27.45 a Beech 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bray N87 W 17 lns. dist. of
 an Ash 24 " " " N77 E 16 " "

40.75 a Branch 8 lns. wide Course S.W.

51.94 a Beech 31 in. dia.

80.00 Set post Cor. to Sec. 1 & 12, T12 N. R7 E. from which

a Beech 20 in. dia. bray S26 W 11 lns. dist. of

a Do. 20 " " " N10 E 31 " "

Level land, timber Beech, Ash, Elm, Sugar
 &c. underg^d. Spruce, Hickory Ash &c. rich Soil

North On E. boundary of Sec. 1, T12 N. R7 E

25.15 a Poplar 30 in. dia.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bray N30 E 8 lns. dist. of

a Do. 9 " " " S83 W 18 " "

48.06 an Elm 36 " "

70.25 a Branch 10 lns. wide Course N.W.

76.00 Set post Cor. to Township, 12 & 13 North,

Range, N. 7 & 8 East, from which

a Sugar 6 in. dia. bray N17 E 11 lns. dist. of

a Beech 9 " " " S11 W 27 " "

Land level, timber, Beech, Ash, Sugar &c.
 underg^d. Spruce, Soil good. June 25th 1819

John M. Donald,

Deputy Surveyor

Subdivision.

var. 7.40' E.

North Between Sec. 35 & 36, T12 N. R8 E.

199

S. N. R. E. 2nd Mer. Indiana

4.95

an Ash 18 mi. dist.

40.00 Set of Sec. post, from which
a Beech 5 mi. dist. from
a No. 14 " " " N 13 W 8 " "

50.50 an Ash 10 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 12 mi. dist. from
a No. 10 " " " East 12 " "
Sand level 2nd rate, Beech, Ash &c. undg. Price

East On Rand. between Sec. 25 & 36

40.00 Set temp. of Sec. post

78.55 Intersected E. boundary 336 lns. N. of post
Sand timber &c. Same as on the last mile

West Corrected between Sec. 25 & 36

39.27 Set of Sec. post at average dist. from which
a Beech 18 mi. dist. from
a No. 20 " " " N 80 W 29 " "

78.55 to Sec. Corner.

North Between Sec. 25 & 26

18.47 a Sugar 18 mi. dist.

40.00 Set of Sec. post from which
a Beech 20 mi. dist. from
an Ash 14 " " " N 10 E 20 " "

49.40 an Ash 18 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
an Ash 30 mi. dist. from
an Elm 26 " " " N 61 W 18 " "
Sand timber &c. Same as on the last mile

East On Rand. between Sec. 24 & 25

40.00 Set of Sec. post temporarily

78.10 Intersected E. boundary 465 lns. N. of post
Sand timber &c. Same as on last mile

Twp. N. R. 8 E. 2^d. Mer. Indianach. 2th

West Corrected between Sec. 24 & 25

39.05 Set q. Sec. post at average dist. from which
 a Hackberry 12 in. dia. bray N 28° W 12 lks. dist. of
 a Water Beech 6 " " " S 14° E 20 " "

78.10 to Sec. Corner.

North Between Sec. 23 & 24

15.70 a Stream 6 lks. wide Course S. E.

19.40 a Beech 14 in. dia.

25.65 a Stream 15 lks. wide Cr. W.

33.45 a do. 10 " " " E.

40.00 Set q. Sec. post, from which
 an Ash 6 in. dia. bray S 43° E 12 lks. dist. of
 a Buckeye 5 " " " S 39° W 10 " "

58.60 a Beech 12 " "

80.00 Set post Co. to Sec. 13, 14, 23, 24, from which
 a Beech 6 in. dia. bray S 75° E 20 lks. dist. of
 a Buckeye 12 " " " S 67° W 7 " "
 Sand level 2^d rate, timber Ash, Poplar.
 Beech &c. undg. Spruce &c. Nov. 2^d. 1819

East On Randm. between Sec. 13 & 24

40.00 Set temp. q. Sec. post

79.35 Intersected Co. boundary 422 lks. N. of post
 Sand timber &c. same as on the last mile

West Corrected between Sec. 13 & 24

39.67 Set q. Sec. post at average dist. from which
 a Beech 24 in. dia. bray N 65° E 20 lks. dist. of
 a do. 30 " " " N 87° W 29 " "

79.35 to Sec. Corner

North Between Sec. 13 & 14

17.83 a Beech 26 in. dia.

40.00 Set q. Sec. post, from which
 a Beech 12 in. dia. bray S 20° W 25 lks. dist. of

201

M2N R8E2. Mer. Indiana

ch'dly

a Beech 4 mi. dist. from N21E19th. dist. of
 47.82 an Ash 29 "
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 10 mi. dist. from N17W3th. dist. of
 a Do. 6 " " " 140E25 " "
 Land timber &c. Same as on the last mile

East On Randm. between Sec. 12 & 13

40.00 Set temp. q. Sec. post
 51.85 a stream 7th. wide Course S.
 79.23 Intersected the E. boundary 468th. S. of post
 Land timber &c. Same as on the last mile

West On true line between Sec. 12 & 13

39.69 Set q. Sec. post, at average dist. from which
 a Beech 12 mi. dist. from N33E18th. dist. of
 a Do. 12 " " " 183W25 " "
 79.23 to Sec. Corner.

North Between Sec. 11 & 12

9.45 an Elm 31 mi. dist.
 40.00 Set q. Sec. post from which
 a Beech 20 mi. dist. from N16E26th. dist. of
 an Ash 8 " " " 19W50 " "
 54.60 a W. Oak 48 " "
 80.00 Set post Cor. to Sec. 11 & 12, 13, 2, from which
 a Maple 10 mi. dist. from N48E12th. dist. of
 a Do. 15 " " " 80W20 " "
 Land timber &c. Same as on the last mile

East On Randm. between Sec. 11 & 12

40.00 Set temp. q. Sec. post
 79.55 Intersected E. boundary 469th. S. of post.
 Land, timber &c. Same as on the last mile

West Corrected between Sec. 11 & 12

Twp. N. R. 8 E. T. Mer. Indiana

ch. 1/4 mi.

39.57 Set gr. Sec. post at average dist. from which
 a Beech 6 in. dia. brang S 27 E 6 1/2 mi. dist. of
 a do. 12 " " " N 40 W 5 " "

79.05 to Sec. Corner

North Between Sec. 1 & 2

17.57 a Maple 15 in. dia.

40.00 Set gr. Sec. post, from which
 a Beech 15 in. dia. brang S 19 E 13 1/2 mi. dist. of
 a do. 24 " " " N 29 W 35 " "

65.90 an Ash 30 " "

69.03 Intersected N. boundary 30 mi. N. of post
 Set post Cor. to Sec. 1 & 2 from which
 a Beech 10 in. dia. brang S 38 W 20 1/2 mi. dist. of
 a W. Beech 4 " " " S 76 E 18 " "
 Sand level 3rd rate, timber, Ash, W. Oak, Beech
 Yc. underg^m. Spruce November 3rd 1819

North Between Sec. 34 & 35

7.34 a Beech 15 in. dia.

10.10 a Stream 30 mi. wide Cr. S. W. Current (moderate)

16.60 a do. 20 " " " S. E.

40.00 Set gr. Sec. post, from which
 a Beech 10 in. dia. brang S 7 E 12 1/2 mi. dist. of
 a do. 18 " " " N 68 W 25 " "

56.76 a Sycamore 30 in. dia.

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Buckeye 10 in. dia. brang N 84 W 31 1/2 mi. dist. of
 a Poplar 3 " " " N 24 E 8 " "
 Sand level 1st rate, timber Beech, Ash, B.
 Walnut, Hackberry, underg^m. Spruce

East On Rand. between Sec. 26 & 35

40.00 Set temp. gr. Sec. post

79.33 Intersected the N. & S. line 200 mi. N. of post
 Sand level 2nd rate, timber &c. same as last mile

203

Twp N 8 E. 2. Mer. Indiana

ch. 2. 1/2 mi.

West Corner between Secs. 26 & 35

39.66 Set of Sec. post at average dist. from which
an Ash 30 in. dia. by N 31 W 5 1/2 mi. dist. of
a Beech 10 " " " S 42 E 14 " "
79.33 to Sec. Corner.

North Between Secs. 26 & 27

10.60 a Log 10 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. by N 18 E 7 1/2 mi. dist. of
a do. 20 " " " S 57 E 13 " "

58.37 a Beech 10 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Beech 10 in. dia. by S 87 W 10 1/2 mi. dist. of
a do. 30 " " " N 61 E 5 " "

Land level 2nd rate, timber, Ash, Walnut,
Beech &c. undergth Spruce.

East On Rand. between Secs. 23 & 26

40.00 Set of Sec. post

75.00 a stream 10 ft. wide Course S.W.

79.32 Intersected the N. & S. line 208 ft. N. of post
Land timber &c. same as on the last mile

West Corner between Secs. 23 & 26

39.66 Set of Sec. post at average dist. from which
a Beech 26 in. dia. by S 36 E 23 1/2 mi. dist. of
a do. 8 " " " S 42 W 3 " "

79.32 to Sec. Corner

North Between Secs. 22 & 23

8.62 a Beech 22 in. dia.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. by S 29 W 5 1/2 mi. dist. of
a do. 7 " " " N 23 E 30 " "

54.76 a Beech 18 " "

204

T2 N R8 E 2nd Mer. Indiana

ch. lth

66.00 a Stream 6 lth. wide Course S.W.

80.00 At post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 18 in. dia. - bray N 61 W 24 lth. dist. of
 an Elm 11 " " " N 48 E 35 " "
 Sand timber &c. Same as on the last mile

East On Randm. between Sec. 14 & 23

16.05 a Stream 10 lth. wide Course S.W.

40.00 At temp. q. Sec. post

79.50 Intersected the N of S. line 205 lth. N. of post
 Sand timber &c. Same as on the last mile

West Corrected between Sec. 14 & 23

39.75 At q. Sec. post, at average dist. from which
 a Sugar 5 in. dia. - bray S 55 E 10 lth. dist. of
 a No. 15 " " " N 32 E 10 " "

79.50 to Sec. Corner.

North Between Sec. 14 & 15

8.28 a Beech 20 in. dia.

40.00 At q. Sec. post, from which
 a Beech 18 in. dia. - bray S 37 E 14 lth. dist. of
 a No. 7 " " " N 89 W 5 " "

46.10 a Beech 26 " "

80.00 At post Cor. to Sec. 10, 11, 14 & 15 from which
 a Sugar 14 in. dia. - bray S 36 W 12 lth. dist. of
 a Beech 8 " " " N 23 E 30 " "
 Sand timber &c. Same as on the last mile

East On Randm. between Sec. 11 & 14

40.00 At temp. q. Sec. post

56.50 a Stream 6 lth. wide C. S.W.

80.42 Intersected the N of S. line 160 lth. N. of post
 Sand timber &c. Same as on the last mile

West Corrected between Sec. 11 & 14

205

T12 N R3 E. 2nd Mer. Indiana

Ch. P. M.

40.21 Set q^r. Sec. post at average dist. from which
a Beech 7 mi. dist. bearing N 75 E 12 km. dist. of
an Elm 15 " " " S 30 W 18 " "
80.42 to Sec. Corner

North Between Sec. 10 & 11

11.80 an Ash 10 mi. dist.

40.00 Set q^r. Sec. post, from which
a Beech 6 mi. dist. bearing S 30 E 13 km. dist. of
a Do. 8 " " " N 88 W 50 " "

55.50 a Do. 15 " "

80.00 Set post Cor. to Sec. 2, 3, 10, & 11, from which
an Ash 12 mi. dist. bearing S 59 E 5 km. dist. of
a Beech 11 " " " N 33 W 10 " "
Sand, timber &c. Same as on last mile

East On Rand^m. between Sec. 2 & 11

40.00 Set temp^y. q^r. Sec. post

79.50 Intersected the N & S. line 160 km. N. of post
Sand, timber &c. Same as on the last mile

West Connected between Sec. 2 & 11

39.75 Set q^r. Sec. post at average dist. from which
a Sugar 6 mi. dist. bearing N 83 E 11 km. dist. of
a Beech 12 " " " S 72 W 13 " "

79.50 to Sec. Corner. November 4th. 1819

North Between Sec. 2 & 3

15.38 a Sycamore 36 mi. dist.

40.00 Set q^r. Sec. post, from which
a Hickory 12 mi. dist. bearing S 14 W 13 km. dist. of
a Beech 8 " " " N 30 E 10 " "

56.31 a Do. 20 " "

70.75 Intersected N. boundary 59 km. E. of post
Set post Cor. to Sec. 2 & 3, from which
An Ash 3 mi. dist. bearing S 33 E 13 km. dist. of

206

Twp. N. R. 8 E. 2. Mer. Indiana

ch. 1/2 m.

a Hickory 15 m. dist. brang N 25 W 10 m. dist.
 Sand timber &c. Same as on the last mile

North Between Sec. 33 & 34

16.76 a W. Oak 32 m. dist.

40.00 Set of Sec. post, from which

a Hickory 10 m. dist. brang West 12 m. dist. of

a Beech 13 " " " N 49 E 15 " "

50.40 a W. Oak 30 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 30 m. dist. brang S 61 W 27 m. dist. of

a Do. 13 " " " N 16 E 15 " "

Sand level 3rd rate, timber, ash, Beech, W.
 Oak, undergth Spruce &c.

East On Rand^m. between Sec. 27 & 3440.00 Set temp^y. of Sec. post

79.80 Intersected the N of S. line 248 m. N. of post
 First 1/2 mile 3rd rate last 1/2 1st rate, timber
 Oak, Beech &c. undergth Spruce.

West Correlated between Sec. 27 & 34

39.90 Set of Sec. post at average dist. from which

a Beech 6 m. dist. brang S 20 E 15 m. dist. of

a W. Oak 29 " " " N 58 W 5 " "

79.80 to Sec. Corner.

North Between Sec. 27 & 28

22.25 a W. Oak 20 m. dist.

23.60 a Spring Branch 5 m. wide C. & W.

37.90 a Do. Do 4 " " " W.

40.00 Set of Sec. post, from which

a Beech 8 m. dist. brang S 66 W 3 m. dist. of

a Do. 20 " " " N 6 W 11 " "

43.84 a Do. 15 " "

62.00 a Stream 8 m. wide Course S. W.

207

T. D. N. R 8 E. T. Mer. Indiana
Ch. P. M.
80.00 Set post Cor. to Sec. 21, 22, 27, 28, from which
a Beech 6 in. dia. - bray N 75 W 5 1/2 hrs. dist. of
a Do. 30 " " " N 75 E 19 " "
Land level 2 1/2 ft. - ash, Beech, Walnut
undergth. Spice &c.

East On Rand^m. between Sec. 22 & 27
26.20 a Stream 7/8 hr. wide Course S. W.
40.00 Set temp^y. q^r. Sec. post
79.82 Intersected the N & S. line 16 1/2 hrs. N. of post
Land timber &c. same as on the last mile

West Corrected between Sec. 22 & 27
39.91 Set q^r. Sec. post at average dist. from which
a Beech 18 in. dia. - bray N 27 E 2 1/2 hrs. dist. of
a Sugar 4 " " " N 30 E 7 " "
79.82 to Sec. Corner

North Between Sec. 21 & 22
9.02 a Beech 15 in. dia.
40.00 Set q^r. Sec. post, from which
a Beech 12 in. dia. - bray South 6 hrs. dist. of
a Do. 3 " " " N 63 E 12 " "
56.15 a Beech 22 " "
80.00 Set post cor. to Sec. 15, 16, 21 & 22, from which
a Beech 28 in. dia. - bray N 66 W 14 hrs. dist. of
a Do. 12 " " " East 18 " "
Land timber &c. same as on the last mile

East On Rand^m. between Sec. 15 & 22
40.00 Set temp^y. q^r. Sec. post
80.00 Intersected the N & S. line 15 1/4 hrs. N. of post
Land timber &c. same as on last mile

West Corrected between Sec. 15 & 22
40.00 Set q^r. Sec. post at average dist. from which

208 Twp N 8 E. 2^d Mer. Indiana

ch^d. 1/2

a Beech 12 in. diam. bray S 77° W 14 lns. dist. of
a Do. 3 " " " N 30° W 20 " "
80.00 to Sec. Corner

North Between Sec. 15 & 16

5.81 a Beech 8 in. diam.
38.70 a Stream 9 lns. wide Corner S. W.
40.00 Set of Sec. post, from which
a Buckeye 12 in. diam. bray N 26° W 15 lns. dist. of
a Sycamore 6 " " " N 84° E 50 " "
58.32 a Beech 20 in. diam.
80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 18 in. diam. bray S 13° W 10 lns. dist. of
a Sugar 15 " " " N 80° E 19 " "
Land timber &c. Same as on the last mile

East On Random between Sec. 10 & 15

40.00 Set temp^y. of Sec. post
79.58 Intersected the N of S. line 104 lns. N. of post
Land timber, &c. Same as on last mile

West Corrected between Sec. 10 & 15

39.79 Set temp^y. of Sec. post at average dist. on true
line from which
a Beech 18 in. diam. bray N 42° W 7 lns. dist. of
a Dogwood 4 " " " S 76° E 20 " "
79.58 to Sec. Corner. Nov. 5. 1819

North Between Sec. 9 & 10

6.62 a W. Oak 30 in. diam.
47.00 Set of Sec. post, from which
a Beech 20 in. diam. bray S 46° W 8 lns. dist. of
a Sugar 15 " " " S 86° E 18 " "
55.77 a Do. 12 " "
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 7 in. diam. bray S 11° E 6 lns. dist. of

Ad N R 8 E. 2nd Mer. Indiana 209
ch. lks.

a Beech 8 mi. dia. bray N 12 W 13 lks. dist. of
Sand timber &c. Same as on the last mile

East On Run 9th between Sec. 3 & 10

40.00 At temp. of Sec. post

79.78 Intersected the N of S. line 104 lks. N. of post
Sand timber &c. Same as on the last mile

West Corrected between Sec. 3 & 10

39.89 At of Sec. post at average dist. from which
a Sugar 20 mi. dia. bray West 5 lks. dist. of
a Beech 8 " " " N 9 W 13 " "

79.78 to Sec. Corner.

North Between Sec. 3 & 4

15.49 a W. Oak 15 mi. dia.

40.00 At of Sec. post, from which
a Beech 30 mi. dia. bray S 61 E 40 lks. dist. of
a Sugar 12 " " " N 49 W 15 " "

53.69 a Beech 13 " "

72.34 Intersected the N. boundary 100 lks. E. of post
At post Cor. to Sec. 3 & 4, from which
a Beech 6 mi. dia. bray N 35 W 4 lks. dist. of
an Ironwood 6 " " " S 30 E 14 " "
Sand timber &c. Same as on the last mile

North Between Sec. 32 & 33

9.28 a Hickory 10 mi. dia.

40.00 At of Sec. post, from which
a Buckeye 5 mi. dia. bray S 21 W 5 lks. dist. of
an Elm 10 " " " N 3 E 20 " "

52.45 a S. branch 5 lks. wide Course W.

53.76 a Beech 24 mi. dia.

61.00 a Creek 20 lks. wide Course S. W.

80.00 At post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 20 mi. dia. bray S 76 W 15 lks. dist. of

210

S.W. 1/4 Sec. 9. Mer. Indiana

ch. 1/2

a Water Beech 5 mi. dist. from S 78 E 18 mi. dist. of
 Sand 1st rate, timber Ash, B. Walnut, Beech,
 undergth. Spruce &c.

East On Land 9^m. between Sec. 28 & 33

40.00 Set temp. g. Sec. post

79.50 Intersected the N. of S. line 270 mi. N. of post
 Sand level 2nd rate, timber Ash, Beech, Sugar
 &c. undergth. Spruce &c.

West Corrected between Sec. 28 & 33

39.75 Set g. Sec. post, at average dist. from which
 an Ash 20 mi. dist. from N 60 E 5 mi. dist. of
 a Beech 10 " " " S 26 W 5 " "

79.50 to Sec. Corner. Nov. 6th 1819

North Between Sec. 28 & 29

16.45 a Beech 30 mi. dist.

40.00 Set g. Sec. post, from which
 a Beech 30 mi. dist. from N 18 W 12 mi. dist. of
 a Do. 6 " " " S 59 W 15 " "

54.95 a Do. 33 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 6 mi. dist. from N 37 W 7 mi. dist. of
 a Do. 8 " " " S 71 E 15 " "
 Sand timber &c. same as on the last mile

East On Land 9^m. between Sec. 21 & 28

40.00 Set temp. g. Sec. post

79.25 Intersected the N. of S. line 277^{1/2} mi. N. of post
 Sand timber &c. same as on the last mile

West Corrected between Sec. 21 & 28

39.62 Set g. Sec. post at average dist. from which
 a Beech 4 mi. dist. from S 33 E 10 mi. dist. of
 a Do. 5 " " " N 39 W 5 " "

211

Ad. N. R. & E. D. Mer. Indiana
ch. lth.
79.25 to Sec. Corner.

North Between Sec. 20 & 21

5.25 a Beech 18 mi. dist.

36.26 a stream 6 lth. wide C. S. W.

40.00 at q. Sec. post, from which
a Beech 6 mi. dist. bear N 5 W 19 lth. dist. of
a Do. 10 " " " N 16 E 5 " "

56.78 a Sugar 36 " "

78.50 a Creek 50 lth. wide Course S. W. Current (moderate)

80.00 at post Cor. to Sec. 16, 17, 20 & 21, from which
a Walnut 6 mi. dist. bear N 5 W 7 lth. dist. of
an Ash 5 " " " N 60 E 15 "
Land rolling 2^d. (rate, timber, Ash, Sugar
Beech, undergth. Spruce

East On Land^m between Sec. 16 & 21

1.00 a Creek 40 lth. wide Course S. W.

40.00 at temp^l. q. Sec. post

57.00 a stream 8 lth. wide Course S. W.

79.25 intersected the N. of S. line 264 lth. N. of post
Land level 2^d. (rate, timber, Beech, Ash, Sugar &c.
undergth. Spruce &c.

West Corrected between Sec. 16 & 21

39.62 at q. Sec. post at average dist. from which
a Poplar 50 mi. dist. bear N 12 W 13 lth. dist. of
an Ironwood 3 " " " N 38 W 4 " "

79.25 to Sec. Corner.

North Between Sec. 16 & 17

21.30 a Beech 30 mi. dist.

40.00 at q. Sec. post, from which
an Ash 19 mi. dist. bear S 2 W. 20 lth. dist. of
a Sugar 14 " " " N 47 E 15 " "

49.50 a Beech 14 " "

T2N R8E. Mer. Indiana

Ch. Mkr.

80.00 At post Cor. to Sec. 8, 9, 16, & 17, from which
 a Beech 13 mi. dist. bear S 29° W 6 lms. dist. of
 a Run 24 " " " N 10° E 20 "
 Sand timber &c. Same as on the last mile

East On Range between Sec. 9 & 16

29.60 a Creek 50 lms. wide Cr. S. Current Calm

38.00 a S. Branch 3 lms. " " S. W.

40.00 At temp. of Sec. post

79.39 Intersected the N. & S. line 264 lms. N. of post
 Sand timber &c. Same as on the last mile

West Corrected between Sec. 9 & 16

39.69 At q. Sec. post at average dist. from which
 a Beech 10 mi. dist. bear S 53° W 8 lms. dist. of
 a Do. 8 " " " N 52° E 12 " "

79.39 to Sec. Corner.

North Between Sec. 8 & 9

15.22 a Hickory 12 mi. dist.

40.00 At q. Sec. post, from which

a Beech 5 mi. dist. bear N 32° W 2 lms. dist. of
 a Sugar 5 " " " S 87° E 8 " "

47.38 a Beech 12 " "

80.00 At post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 30 mi. dist. bear S 88° W 6 lms. dist. of
 a Do. 20 " " " S 79° E 5 " "
 Sand timber &c. Same as on the last mile

East On Range between Sec. 4 & 9

28.31 a Creek 12 lms. wide Cr. S.

40.00 At temp. of Sec. post

79.45 Intersected the N. & S. line 270 lms. N. of post
 Sand hilly 2^d rate, timber Ash, Beech, Poplar
 &c. undergrowth Spruce &c.

T2N R8E. 2^d Mer. Indiana 213

ch. lkr.

West Corrected between Sec. 4 & 9

39.72 Set of Sec. post, at average dist. from which
a Beech 4 mi. dist. from N 76 E. 12 lkr. dist. of
a Sugar 6 " " " S 55 W 3 " "
79.45 to Sec. Corner.

North Between Sec. 4 & 5

28.78 a Beech 6 mi. dist.

40.00 Set of Sec. post, from which
a Beech 3 mi. dist. from N 10 W 5 lkr. dist. of
at Buckeye 10 " " " S 52 W 40 " "

58.20 a Beech 15 " "

72.90 Intersected the N. boundary 185 lkr. E. of post
Set post Corner to Sec. 4 & 5, from which
an Ash 10 mi. dist. from S 49 W 20 lkr. dist. of
a Do. 4 " " " S 52 E 21 " "
Land level 2^d rate, timber Ash, Beech &c.
undergth Spruce &c. Nov. 7th 1819

North Between Sec. 31 & 32

15.64 a Beech 24 mi. dist.

40.00 Set of Sec. post, from which
a Beech 10 mi. dist. from S 47 W 15 lkr. dist. of
at Buckeye 5 " " " N 85 E 25 " "

65.83 a Beech 24 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
at Buckeye 10 mi. dist. from S 56 W 12 lkr. dist. of
a Do. 5 " " " N 88 E 7 " "
Land level 1st rate, timber Ash, Beech, Hackberry
& Walnut, undergth Spruce.

East On Range between Sec. 29 & 32

40.00 Set temp. of Sec. post

79.50 Intersected the N & S. line 260 lkr. N. of post
Land level 2^d rate, land, timber Ash, Beech &c.
undergth Spruce.

214 T2N R8E T. Mer. Indiana

ch. 1/2
West Connected between Sec. 29 & 32
39.75 Set of Sec. post, at average dist. from which
a Beech 10 in. dia. beam N27W 18 lms. dist. of
a Do. 15 " " " S53E 30 " "
79.50 to Sec. Corner.

West Between Sec. 30 & 31
17.75 a Beech 15 in. dia. beam
21.50 a Creek 50 lms. wide Course S.W.
40.00 Set of Sec. post, from which
an Ash 9 in. dia. beam S25E 10 lms. dist. of
a Beech 6 " " " N26W 10 " "
63.90 a Do. 24 " "
73.73 Intersected W. boundary 52 lms. S. of post
Set post Cor. to Sec. 30 & 31, from which
a Beech 10 in. dia. beam N58E 10 lms. dist. of
a Do. 10 " " " S63W 12 " "
Sand level 2" Grate, timber Ash, Beech, Poplar &c
under 4" Spice.

North Between Sec. 29 & 30
9.95 an Ash 30 in. dia.
40.00 Set of Sec. post, from which
a Log 9 in. dia. beam N4E 31 lms. dist. of
a Beech 10 " " " S40W 30 " "
50.96 a Creek 25 lms. wide Course W.
56.95 a Beech 30 in. dia.
80.00 Set post Cor. to Sec. 19, 20, 29 & 30 from which
a Beech 7 in. dia. beam N37W 3 lms. dist. of
a Do. 12 " " " N25W 30 " "
Sand rolling 2" Grate, timber, Ash, Beech, Poplar
&c. under 4" Spice.

East Out Land between Sec. 20 & 29
40.00 Set temp. of Sec. post
62.93 a Creek 25 lms. wide Course S.

215

N. K. R. & E. 2^d Mer. Indiana

ch. 2nd m. 79.46 Intersected the N of S. line 217 m. N. of post
 Sand level 2^d rate, timber Ash, Beech &c.
 underg^d Spruce.

Met Corrected between Sec. 20 & 29
 39.73 Set of Sec. post at average dist. from which
 a Beech 3 in. dia. brang N 36 E 20 m. dist. of
 a do. 40 " " " 114 N 3 " "
 79.46 to Sec. Corner. Nov. 8th 1819

Met Between Sec. 19 & 30
 1:50 a Creek 10 m. wide Cr. S. W.
 21.86 a Beech 30 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 18 in. dia. brang N 26 E 6 m. dist. of
 a do. 20 " " " 56 N 15 " "
 48.66 a Beech 32 " "
 72.42 Intersected the W. boundary 53 m. S. of post
 Set post Cor. to Sec. 19 of 30, from which
 a Beech 15 in. dia. brang N 27 W 3 m. dist. of
 a do. 7 " " " 78 E 20 " "
 Sand timber &c. Same as on the last mile

North Between Sec. 19 & 20
 4.90 a creek 10 m. wide Course S. W.
 12.50 a do 10 " " " S. E
 29.75 a Beech 15 in. dia. brang
 40.00 Set of Sec. post, from which a
 Beech 12 in. dia. brang N 18 W 15 m. dist. of
 a do 26 " " " N 6 E 12 " "
 52.77 a Beech 30 " "
 80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
 an Elm 20 in. dia. brang N 68 W 11 m. dist. of
 a Beech 10 " " " N 66 E 25 " "
 Sand timber &c. Same as on the last mile

216

Twp. N. R. 8 E. 2^d. Mer. Indiana

ch. l. l. m.

East On Rand^m. between Sec. 17 & 2040.00 Let temp^y. g^r. Sec. post

80.00 Intersected the N & S. line 221 l. m. N. of post

Land timber &c. same as on the last mile

West Corrected between Sec. 17 & 20

40.00 Let g^r. Sec. post at average dist. from which
a Beech 6 mi. dist. by N 36° W 6 l. m. dist. of
a Sugar 15 " " " N 31 E 14 " "

80.00 to Sec. Corner.

West Between Sec. 18 & 19

9.50 a Beech 15 mi. dist.

40.00 Let g^r. Sec. post, from which
a Beech 3 mi. dist. by S 50 E 2 l. m. dist. of
an Ash 6 " " " N 55 W 3 " "

54.37 a Beech 10 " "

70.75 Intersected W. boundary 60 l. m. S. of post
Let post Cor. to Sec. 18 & 19, from which
a Beech 5 mi. dist. by N 68 E 15 l. m. dist. of
a Hickory 24 " " " S 72 W 10 " "
Land level 2nd rate, timber Beech, Ash &c
under g^r. Spruce.

North Between Sec. 17 & 18

29.50 a Beech 24 mi. dist.

40.00 Let g^r. Sec. post, from which
a Beech 6 mi. dist. by S 23 E 14 l. m. dist. of
a Do. 23 " " " N 24 W 17 " "

64.15 a Do. 24 " "

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 7 mi. dist. by S 75 E 8 l. m. dist. of
a Do. 12 " " " S 65 W 14 " "
Land level 3rd rate, timber Beech, &c. under g^r. SpruceEast On Rand^m. between Sec. 8 & 17

T12 N. R8 E. 2^d Mer. Indiana 917

ch. 2th

40.00 Let temp. q. Sec. post
 79.00 Intersected the N of S. line 260 lks. N. of post
 Sand level 3rd rate, timber, Beech, Ash &c.
 undergth Spice &c.

West Connected between Sec. 8 & 17

39.50 Let q. Sec. post at average dist. from which
 a Beech 6 in. dia. brang N40 E 5 lks. dist. of
 a Do. 8 " " " N14 W 4 " "
 79.00 to Sec. Corner.

West Between Sec. 7 & 18

16.49 a Beech 10 in. dia.
 40.00 Let q. Sec. post, from which
 a Beech 20 in. dia. brang N31 E 15 lks. dist. of
 a Do. 18 " " " N35 W 10 " "
 47.90 an Ash 30 " "
 69.97 Intersected W. boundary 17 lks. N. of post
 let post Cor. to Sec. 7 & 18, from which
 a Beech 6 in. dia. brang N32 E 6 lks. dist. of
 a Do. 7 " " " N46 W 4 " "
 Sand timber &c. same as on the last mile

North Between Sec. 7 & 8, T12 N. R8 E.

10.33 a Beech 30 in. dia.
 40.00 Let q. Sec. post, from which
 a Beech 6 in. dia. brang N19 E 15 lks. dist. of
 a Do. 10 " " " N36 W 30 " "
 70.15 a W. Oak 14 " "
 80.00 let post Cor. to Sec. 5, 6, 7 & 8, from which
 a W. Oak 10 in. dia. brang N35 E 12 lks. dist. of
 a Beech 9 " " " N62 W 50 " "
 Sand timber &c. same as on the last mile

East On Rand^m between Sec. 5 & 8

40.00 Let temp. q. Sec. post

218

T12 N P8 E. 2nd Mer. Indiana

ch. 2nd 1/2
 79.00 Intersected the st of S. line 212 lns. N. of post
 Land level 2nd rate, timber Beech, Oak &c.
 undergth Spruce &c. Nov. 9th. 1819

West Corner between Sec. 5 & 8

39.50 Let q. Sec. post at average dist. from which
 a Beech 28 in. dia. bray N 88 E 4 lns. dist. of
 a Do. 18 " " " N 21 W 14 " "

79.00 to Sec. Corner.

North Between Sec. 5 & 6

14.43 an Elm 12 in. dia.

40.00 Let q. Sec. post, from which
 an Ash 24 in. dia. bray N 76 E 10 lns. dist. of
 a Sugar 10 " " " N 82 W 11 " "

60.32 a Beech 18 " "

73.26 Intersected N. boundary 264 lns. E. of post
 Let post Cor. to Sec. 5 & 6, from which
 a Beech 4 in. dia. bray N 56 W 10 lns. dist. of
 a Do. 12 " " " N 80 E 15 "
 Land level 2nd rate, timber Beech, Ash &c.
 undergth Spruce

West Between Sec. 6 & 7

13.97 a Spruce 20 in. dia.

40.00 Let q. Sec. post, from which
 a Sugar 7 in. dia. bray N 46 E. 15 lns. dist. of
 a Do. 6 " " " N 62 W 20 " "

68.83 Intersected N. boundary 41 lns. N. of post
 Let post Cor. to Sec. 6 & 7, from which
 a Beech 7 in. dia. bray N 36 W 10 lns. dist. of
 a Do. 30 " " " N 37 E 15 " "

Land level 2nd rate, timber Ash, W. Oak,
 Beech &c. undergth Spruce. Nov. 10th. 1819

Rasib Bentley. D. S.

T2. N. R. & E. 2^d. Mer. Indiana 219

I Certify that the foregoing transcript of field notes
of Township N. 12 North, Range N. 8 East. 2^d. Mer.
Indiana, has been Comp^d. with the original notes in
this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, Oct. 3. 1842

William Johnston
Sur. Genl.